DRAGONFLIES of Boundary Bay

This list is mostly based on Rex Kenner's work on the dragonflies of the Lower Mainland (see Sources). Additions to the list are welcome. Please contact Anne Murray info AT natureguidesbc.com or 604 943 0273.

Species	Common Name		Selected Locations, time		Source
Lestes congener Lestes disjunctus	Spotted Spreadwing Common Spreadwing			nmon in late July-early Nov. rns Bog, late June- late Sept	RK
Lestes dryas Lestes unguiculatus		Emerald Spreadwing Lyre-tipped Spreadwing		P, not Whatcom Co.	RK RK
Coenagriidae Pond	l dams	sels, Damselflies			
Amphiagrion abbreviatum Enallagma boreale Enallagma carunculatum Enallagma cyathigerum Ischnura cervula Ischnura erratica Ischnura perparva		Western Red Damsel Boreal Bluet Tule Bluet Northern Bluet Pacific Forktail Swift Forktail Western Forktail	Mid May- early August; Alaksen Common, widespread May-early Oct Common in Lower Mainland, eg. Reifel Very common LM, Alaksen, Reifel CVP early May -late June Lower Mainland, Reifel mid May-early Sept		KW, RK RK KW RK, AM RK, KW, AM RK RK, AM
Aeshnidae Darners	S				
Aeshna californica Aeshna canadensis Aeshna eremita	California Darner Canada Darner Lake Darner Variable Darner			spread early May; Alaksen s Bog, Alaksen	RK, KW, AM RK, KW RK RK
Aeshna multicolorBlue-eAeshna palmataPaddleAeshna sitchensisZigzagAeshna subarcticaSubarcAeshna umbrosaShado		eyed Darner e-tailed Darner g Darner ettic Darner w Darner non Green Darner	Very Burn Burn Burn	spread; Burns Bog, mid June-mid Sept common s Bog s Bog, Uncommon s Bog; Very common, widespread spread v.common early May - late Sept.	RK, RK1 RK SC, RK SC, RK RK RK, RK1
Cordulegastridae S				-r	,
Cordulegaster dorsali	-		d on s	treams large size, light spots on dark boo	ly RK
Corduliidae					
Cordula shurtleffi American Emerald Epitheca canis Beaverpond Baskettail			Sphagnum bogs, emerges May Quite scarce, found in Whatcom Co.		RK RK
Libellulidae Leucorrhinia glacialis Leucorrhinia hudsonica Crimson-ringed Whit Hudsonian Whiteface			Burns Bog only location in area Burns Bog, very common in sphagnur	RK n RK	

Leucorrhinia intacta	Dot	-tailed Whiteface	Burns	Bog widespread, common	RK
Libellula forensis	Eight-spotted Skimmer		Burns Bog v.common urban parks		
Libellula julia	<i>Libellula julia</i> Chalk-fronted Corporal		Burns Bog common, acid waters		
Libellula lydia	la lydia Common Whitetail		Burns Bog, common conspicuous, standing water		
Libellula quadrimacu	lata	Four-spotted Skimmer	Wides	pread, v.common, may swarm in early N	May KW,
					RK1, AM
Pachydiplax longipen	nis	Blue Dasher spreading,	first red	cord LM 1993, ponds with water lilies	RK
Sympetrum corruptum	ı	Variegated Meadowhav	vk	Widespread migrant early June-late Se	pt RK
Sympetrum costiferum	ı	Saffron-winged Meado	whawk	Widespread. Late flyer	RK
Sympetrum illotum		Cardinal Meadowhawk		Widespread LM, late May-Aug. CS	, RK, RK1
Sympetrum internum		Cherry-faced Meadowh	awk	Burns Bog	RK
Sympetrum madidum		Red-veined Meadowhawk		Langley Nature Park one in October	AM
Sympetrum obtrusum		White-faced Meadowha	awk	Burns Bog most common meadowhaw	k RK
Sympetrum pallipes		Striped Meadowhawk		Burns Bog	RK

Sources:

RK Rex D. Kenner. 2000. Annotated Checklist of Dragonflies in the Lower Mainland. Discovery Vol. 29 No. 2 Winter

RK1. Rex D. Kenner. 1999. Burns Bog Ecosystem Review - Invertebrate Report. Prov. BC

CS Robert A. Cannings and Kathleen M.Stuart. 1977. *Dragonflies of B.C. B.C.* Provincial Museum Handbook, No. 35

KW Ken White. 1984 *The Insects of the Alaksen National Wildlife Area* Environment Canada, Canadian Wildlife Service.

AM Anne Murray records.

Robert A. Cannings. 2002. *Introducing the Dragonflies of British Columbia and the Yukon*, Royal B.C. Museum, Victoria.